
The 1
M KD 1163
M KD 1161

The new BMW 1 Series is innovative, individual and intelligent. Enjoy an even richer experience thanks to modern technologies in the interior, including the combination of the standard BMW Curved Display and BMW Head-up Display. Coupled with the latest BMW Operating System 9, you can now manage your music and navigation even more conveniently. The exterior also impresses with its newly interpreted BMW kidney grille and a striking rear, which gives the new BMW 1 Series an exciting, unmistakable style. Intelligent driver assistance systems further enhance convenience, as well as a powerful 115 kW (156 hp), guaranteeing a sporty driving experience on the road.





BMW 118 M Sport



M Portimao Blue metallic
18" M light alloy wheels Y-spoke style 975
M Bicolour
M high-gloss Shadowline
M high-gloss Shadowline with extended contents





M Alcantara/Veganza combination | Black/contrast stitching Blue
M Illuminated Aluminium hexacube interior decor, matt
M headliner anthracite











BMW M135 M Sport Pro



Apline white
18“ M light alloy wheels Y-spoke style 975 M Bicolour
M high-gloss Shadowline
M high-gloss Shadowline with extended contents
M rear spoiler
M Sport brake, red high-gloss







M Alcantara/Veganza combination | Black/contrast stitching Blue
M Sport seats for driver and front passenger
M Illuminated Aluminium hexacube interior decor, matt
M headliner anthracite

STANDARD EQUIPMENT

Tyre repair kit
Warning triangle
Child seat ISOFIX attachment
Equipment package Professional
Interior and exterior mirror package
Interior rear-view mirror with automatic anti-dazzle function
Adaptive LED headlights
High-beam assistant
Steptronic transmission with gearshift paddles
Performance Control
Driving Assistant
Seat adjustment, electric, with memory
Automatic air conditioning
Comfort access system
Automatic operation of tailgate
Wireless charging tray
BMW Live Cockpit Professional


M seat belts (M135)


M Lights Shadowline (M135)


Roof in black


Adaptive M suspension


BMW Head-Up Display


HiFi loudspeaker system Harman Kardon (M135)



Parking Assistant Plus

OPTIONAL EQUIPMENT

Code	Descriptions	118	M135
P_C3N	BMW Individual Storm Bay metallic	$1,800.00	$1,800.00
P_C5A	BMW Individual Frozen Pure Grey metallic	$3,600.00	$3,600.00
P_C6R	BMW Individual Frozen Portimao Blue metallic	$3,600.00	$3,600.00
33B	M Sport package Pro	$2,600.00	Standard
711	M Sport seats for driver and front passenger	$1,300.00	Standard
402	Panorama glass roof	$2,100.00	$2,100.00
413	Luggage-compartment separating net	$345.00	$345.00
465	Through-loading system	$345.00	$345.00
674	HiFi loudspeaker system Harman Kardon	$965.00	Standard
1H8	19“ M light alloy wheels Y-spoke style 976 M Bicolour	$1,100.00	NA
1HA	19" M light alloy wheels multi-spoke style 977 M Bicolour	NA	$1,300.00
3NA	19" M forged wheels Y-spoke 1085 M	$2,200.00	$2,200.00
1L4	19“ M light alloy wheels Y-spoke style 976 M Bicolour with dynamic tyr	NA	$1,300.00
3M1	M Sport brake, dark blue metallic	$1,300.00	$0.00
3M8	19" M Compound brake, Grey high-gloss	$2,600.00	$1,500.00
455	Active seat for driver and front passenger	$810.00	$810.00
KUCX	Veganza perforated | Oyster	Standard	NA
KUMY	Veganza perforated | Mocha	Standard	NA
KUSW	Veganza perforated | Black	Standard	NA
KUKP	Veganza perforated | Coral Red/Black	Standard	Standard



1HA



1H8
1L4



3NA

BMW
Media
Information

Technical specifications.
BMW 1 Series.
118.

		BMW 118
Body		
Number of doors/seats		5 / 5
Length/width/height (empty)	mm	4361 / 1800 / 1459
Wheelbase	mm	2670
Track width, front/rear	mm	1561 / 1562
Ground clearance	mm	156
Turning circle	m	11.7
Fuel tank capacity	approx. l	49
Engine oil [1]	l	4.5
Weight unladen, acc. to DIN/	kg	1425 / 1500
EU Payload according to DIN	kg	565
Permitted total weight	kg	1990
Permitted axle loads, front/	kg	1050 / 1005
rear Perm. trailer load (12%)		
braked/unbraked	kg	1300 / 750
Max. roofload/towbar	kg	75 / 75
download Luggage	l	300 - 1135
compartment capacity Air	c_x	from 0.27
resistance		
Drive		
Engine technology		BMW TwinPower Turbo Technology: Turbocharger, dual injection with direct injection High Precision Injection and intake pipe fuel injection, variable valve control VALVETRONIC, variable camshaft control double VANOS, micro-hybrid technology with brake energy recuperation
Power output / total [2]	kW/hp	115 / 156
Torque / total [2]	Nm	230
Petrol engine		
Type/no. of cylinders/valves		in-line / 3 / 4
Displacement, effective	cc	1499
Stroke/bore	mm	94.6 / 82.0
Compression	:1	11.1
Fuel		min RON 91
Nominal power output	kW/hp	115 / 156
at engine speed	rpm	4900 - 6500
Nominal torque	Nm	230
at engine speed	rpm	1500 - 4600
Electrical system		
12 volt battery/installation	Ah / –	60 / engine compartment
Driving dynamics and safety		
Front wheel suspension		Single-joint spring-strut-type axle in aluminium-steel lightweight construction
Rear wheel suspension		Three-joint axle in lightweight steel construction
Brakes, front		Single-piston, floating calliper disc brakes
Brakes, rear		Single-piston, floating calliper disc brakes
Driving stability systems		Standard: DSC incl., ABS and DTC (Dynamic Traction Control), directly controlled wheel slip limitation, Cornering Brake Assist CBC, Brake Assist DBC, Performance Control, Dry Brake Function, Fade Compensation, Hill Start Control, Trailer Stability Control, optional: Adaptive M Suspension
Safety equipment		Standard: Airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for the front and rear seat row, interaction airbag between driver and front passenger, three-point inertia-reel seat belts on all seats, front with belt tensioner and seat belt force limiter, crash sensors, tyre pressure display
Steering		Electromechanical power steering (EPS) with Servotronic function, optional: sport steering
Overall steering ratio	:1	15.3
Tyres, front/rear		205/55 R17 95Y XL
Wheel rims, front/rear		7.5J × 17 light-alloy

			BMW 118
Transmission			
Transmission type			7-speed Steptronic transmission with dual clutch
Gear ratio	I	:1	16.991
	II	:1	9.965
	III	:1	6.236
	IV	:1	4.327
	V	:1	3.397
	VI	:1	2.663
	VII	:1	2.157
	R	:1	15.363
Driving performance figures			
Weight-to-power ratio (DIN)		kg/kW	12.1
Acceleration	0-100 km/h	s	8.5
Top speed		km/h	226
BMW EfficientDynamics			
BMW EfficientDynamics measures as standard			Micro-hybrid technology with brake energy recuperation and recuperation indicator, Auto Start Stop function, PERSONAL and EFFICIENT modes with coasting function, Route-ahead Assistant, optimum shift indicator in manual shift mode, electromechanical power steering, BMW EfficientLightweight, optimised aerodynamic properties, active air-flap control, auxiliary units controlled according to demand, map-controlled oil pump, final drive unit with optimised warm-up phase properties, tyres with reduced rolling resistance

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany (weights)

[1] Oil change amount
[2] Is made up of combustion engine drive (stated nominal value) and electric drive (up to stated nominal value)

Fuel consumption, CO_2 emission figures and power consumption as well as electric range were measured using the methods required according to Regulation VO (EC) 715/2007 as amended. Where a range is shown, the WLTP figures take into account the impact of any optional extras.

Further information on the WLTP and NEDC measurement procedures is also available at www.bmw.de/wltp can be found.

BMW
Media
Information

BMW 1 Series.
M135 xDrive.

		BMW M135 xDrive
Body		
Number of doors/seats		5 / 5
Length/width/height (empty)	mm	4361 / 1800 / 1459
Wheelbase	mm	2670
Track width, front/rear	mm	1562 / 1562
Ground clearance	mm	156
Turning circle	m	11.7
Fuel tank capacity	approx. l	49
Engine oil [1]	l	5.25
Weight unladen, acc. to DIN/EU	kg	1550 / 1625
Payload according to DIN	kg	550
Permitted total weight	kg	2100
Permitted axle loads, front/rear	kg	1105 / 1045
Perm. trailer load (12%) braked/unbraked	kg	[2] / 750
Max. roofload/towbar download	kg	75 / 75
Luggage compartment capacity	l	380 - 1200
Air resistance	cx	[2]
Engine		
Type/no. of cylinders/valves		in-line / 4 / 4
Engine technology		M TwinPower Turbo Technology: Turbocharger, dual injection with direct injection High Precision Injection and intake pipe fuel injection, variable valve control VALVETRONIC, variable camshaft control double VANOS
Displacement, effective	cc	1998
Stroke/bore	mm	94.6 / 82.0
Compression	:1	9.5
Fuel		min RON 91
Nominal power output	kW/hp	221 / 300
at engine speed	rpm	5750 - 6500
Nominal torque	Nm	400
at engine speed	rpm	2000 - 4500
Power output per litre	kW/l	110.6
Electrical system		
Battery/installation	Ah / –	60 / engine compartment
Driving dynamics and safety		
Front wheel suspension		Single-joint spring-strut-type axle in aluminium-steel lightweight construction, M specific elastokinematics
Rear wheel suspension		Three-joint axle in lightweight steel construction, M specific elastokinematics
Brakes, front		Four-piston, fixed-calliper disc brakes, ventilated
Brakes, rear		Single-piston, floating-calliper disc brakes, ventilated
Driving stability systems		Standard: DSC incl. ABS and DTC (Dynamic Traction Control), directly controlled wheel slip limitation, Cornering Brake Assist CBC, Brake Assist DBC, Dry Brake Function, Fade Compensation, Hill Start Control, Trailer Stability Control, DSC linked with xDrive all-wheel drive, mechanical differential lock at the front, Adaptive M Suspension
Safety equipment		Standard: Airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for the front and rear seat row, interaction airbag between driver and front passenger, three-point inertia-reel seat belts on all seats, front with belt tensioner and seat belt force limiter, crash sensors, tyre pressure display
Steering		Electromechanical power steering (EPS) with Servotronic function, sport steering
Overall steering ratio	:1	15.3
Tyres, front/rear		225/45 R18 95Y XL
Wheel rims, front/rear		8J × 18 light-alloy

			BMW M135 xDrive
Transmission			
Transmission type			7-speed Steptronic transmission with dual clutch
Gear ratio	I	:1	16.991
	II	:1	10.588
	III	:1	7.076
	IV	:1	4.910
	V	:1	4.001
	VI	:1	3.273
	VII	:1	2.522
	R	:1	16.323
Driving performance figures			
Weight-to-power ratio (DIN)		kg/kW	7.0
Acceleration	0-100 km/h	s	4.9
Top speed		km/h	250
BMW EfficientDynamics			
BMW EfficientDynamics measures as standard			Micro-hybrid technology with Brake energy recuperation and recuperation indicator, Auto Start Stop function, PERSONAL and EFFICIENT modes with coasting function, Route-ahead Assistant, optimum shift indicator in manual shift mode, electromechanical power steering, BMW EfficientLightweight, optimised aerodynamic properties, active air-flap control, auxiliary units controlled according to demand, map-controlled oil pump, efficiency-optimised all-wheel drive, final drive unit with optimised warm-up phase properties, tyres with reduced rolling resistance
Fuel consumption in EU cycle			
total (WLTP)		l/100	8.1 - 7.6
CO_2 (WLTP)		g/km	184 - 173
Emission rating			Euro 6e
CO_2 class(es)			G - F

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany (weights)

[1] Oil change amount
[2] Data not yet available

Fuel consumption, CO_2 emission figures and power consumption as well as electric range were measured using the methods required according to Regulation VO (EC) 715/2007 as amended. Where a range is shown, the WLTP figures take into account the impact of any optional extras.

Further information on the WLTP and NEDC measurement procedures is also available at www.bmw.de/wltp can be found.

BMW
Media
Information

Exterior and interior dimensions.
BMW 1 Series.



The dimensions in the technical drawing are in millimetres and may vary depending on the model and the optional equipment.

BMW
Media
Information

BMW 1 Series.
M135 xDrive.



The dimensions in the technical drawing are in millimetres and may vary depending on the model and the optional equipment.